



# Compact & Customizable

This streamlined industrial PC brings desktop-level flexibility to a slim, versatile, fanless chassis with its unique expansion slots.

[logicsupply.com/ml300-series/](http://logicsupply.com/ml300-series/)



## Intel Apollo Lake Processing

With Apollo Lake processing and up to 8GB of RAM, the ML350 is ready to tackle industrial tasks and data acquisition while staying lean, cool, and efficient. Meanwhile, an industrial lifecycle means the ML350 is in it for the long haul.

## Independent Dual 4K Display

Two DisplayPorts backed by IntelHD 500 series graphics lets you connect to dual independent 4K displays. Our optional multi-CEC functionality gives you even more control over your external displays.

## 3 Expansion Slots

Two mPCIe (1 with mSATA support) slots and one mSATA slot gives you room to build the ML350 to your specifications. Whether it's redundant solid state storage, WiFi/Bluetooth capabilities, or 4G LTE connectivity, the choice is yours.

## Connect With Dual LAN, Wifi Or 4G

With two optional COM ports, 6 USB, dual Gb LAN, and 4G LTE options, the ML350 was purpose-built with connection in mind.



### US Office

Phone: +1 802 861 2300  
Email: [info@logicsupply.com](mailto:info@logicsupply.com)  
[www.logicsupply.com](http://www.logicsupply.com)

### EU Office



Phone: +31 85 2733760  
Email: [info@logicsupply.eu](mailto:info@logicsupply.eu)  
[www.logicsupply.com](http://www.logicsupply.com)

## Specifications

<b>Front I/O</b>	2 USB 3.0 ports 1 USB Type C port 2 RS-232/485 COM ports (Optional) 1 Audio jack (mic in, line out) Power button	<b>Memory Type</b>	DDR3L DIMM (non-ECC)
<b>Rear I/O</b>	4 USB 2.0 ports 1 Gb LAN port (N3350) 2 Gb LAN ports (N4200) 2 DisplayPorts	<b>Memory Capacity</b>	Up to 8 GB
<b>Processor</b>	Intel Celeron N3350 Intel Pentium N4200	<b>Memory Speed</b>	1600 MHz
<b>Processor Speed</b>	1.1 GHz	<b>LAN Controller</b>	Realtek RTL8111G
<b>Processor Generation</b>	Apollo Lake	<b>Input Voltage</b>	9 ~ 24 V
<b>Processor Cores</b>	2 ~ 4	<b>Power Input</b>	DC jack
<b>Graphics/GPU</b>	Intel HD Graphics 500 Intel HD Graphics 505	<b>Operating Temp. Range</b>	0 ~ 50°C
		<b>Dimensions (WxHxD)</b>	196 x 36.75 x 120.8 mm 7.72" x 1.45" x 4.76"
		<b>Case Material</b>	Steel With Aluminum Extrusion
		<b>Mounting Options</b>	DIN-mount, VESA-mount, Wall-mount

## Dimensional Drawings


*All measurements in mm*



## ML350 Dimensional Drawings

Low Profile Fanless Computer


*All measurements in mm*



**FRONT**



**SIDE**



**BOTTOM**

